ELSEVIER

Neuroscience Letters 342 (2003) 211–214

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 342

Abe, J., Okazawa, M., Adachi, R., Matsumura, K., Kobayashi, S., Primary cold-sensitive neurons in acutely dissociated cells of rat hypothalamus, 29
Adachi, R., see Abe, J., 29
Ahmadi, R., see Harting, I., 163
Akai, M., see Sekiguchi, H., 73
Akhter, W., see Delivoria-Papadopoulos, M., 123
Akiyama, H., see Arai, T., 41
Alloui, A., see Marchand, F., 109
Alm, E.M., see Galanopoulou, A.S., 201
Andrade-Gordon, P., see D'Andrea, M.R., 118
Arai, T., Nonaka, T., Hasegawa, M., Akiyama, H., Yoshida, M., Hashizume, Y., Tsuchiya, K., Oda, T., Ikeda, K., Neuronal and glial inclusions in frontotemporal dementia with or without motor neuron disease are immunopositive for p62, 41
Ardid, D., see Marchand, F., 109
Arendt, J., see Warman, V.L., 37
Argibay, S., see Freire-Garabal, M., 33

Back, S.K., see Kim, H.J., 113
Balboa, J., see Freire-Garabal, M., 33
Bartels, M., see Leube, D.T., 143
Belkowski, S., see D'Andrea, M.R., 118
Bellomi, P., see Sotgiu, M.L., 89
Benavides, J., see Cousin, E., 5
Biella, G.E.M., see Sotgiu, M.L., 89
Birbaumer, N., see Sartori, G., 53
Blottner, D., see Leimert, M., 57
Bode-Greuel, K.M., see Klisch, J., 25
Branchide, B., see D'Andrea, M.R., 118
Brice, A., see Cousin, E., 5
Brinkmeyer, J., see Streit, M., 105
Britto, L.R.G., see Lima, A.G., 9
Bu, L.H., see Lephart, E.D., 65
Bunn, S.J., see O'Connell, G.C., 1
Burda, J., see Farkas, T., 49

Campion, D., see Cousin, E., 5
Camporeale, A., see de Tommaso, M., 17
Cha, C.I., see Chung, Y.H., 151
Chandra, G., see Samantaray, S., 77
Chansac, C., see Cousin, E., 5
Chapuy, E., see Marchand, F., 109
Chianella, S., see Laurenzi, M.A., 101
Cho, S.S., see Shin, D.H., 167
Chung, Y.H., Joo, K.M., Kim, M.J., Cha, C.I., Immunohistochemical study on the distribution of alpha-synuclein in the central nervous system of transgenic mice expressing a human Cu/Zn superoxide dismutase mutation, 151
Cicogna, P.C., see Cipolli, C., 147
Cipolli, C., Cicogna, P.C., Mattarozzi, K., Mazzetti, M., Natale, V., Occhionero, M., Continuity of the processing of declarative knowledge during human sleep: evidence from interrelated contents of mental sleep experiences, 147
Clark, S., see Riley, M.A., 45
Cole, M.A., see Perlstein, W.M., 191
Constandil, L., Pelissier, T., Soto-Moyano, R., Mondaca, M., Sáez, H., Laurido, C., Muñoz, C., López, N., Hernández, A., Interleukin-1β increases spinal cord wind-up activity in normal but not in monoarthritic rats, 139
Cousin, E., Hannequin, D., Ricard, S., Macé, S., Génin, E., Chansac, C., Brice, A., Dubois, B., Frebourg, T., Mercken, L., Benavides, J., Pradier, L., Campion, D., Deleuze, J.-F., A risk for early-onset Alzheimer's disease associated with the *APBB1* gene (FE65) intron 13 polymorphism, 5

D'Andrea, M.R., Reiser, P.A., Polkovitch, D.A., Gumula, N.A., Branchide, B., Hertzog, B.M., Schmidheiser, D., Belkowski, S., Gastard, M.C., Andrade-Gordon, P., The use of formic acid to embellish amyloid plaque detection in Alzheimer's disease tissues misguides key observations, 118
Dalton, A.J., see Mehta, P.D., 155
Dammers, J., see Streit, M., 105
Danscher, G., Wang, Z., Kim, Y.K., Kim, S.J., Sun, Y., Jo, S.M., Immunocytochemical localization of zinc transporter 3 in the ependyma of the mouse spinal cord, 85
de Tommaso, M., Fiore, P., Camporeale, A., Guido, M., Libro, G., Losito, L., Megna, M., Puca, F., Megna, G., High and low frequency transcutaneous electrical nerve stimulation inhibits nociceptive responses induced by CO_2 laser stimulation in humans, 17
Deleuze, J.-F., see Cousin, E., 5
Delivoria-Papadopoulos, M., Akhter, W., Mishra, O.P., Hypoxia-induced Ca^{2+}-influx in cerebral cortical neuronal nuclei of newborn piglets, 123
Depboylu, C., Du, Y., Müller, U., Kurz, A., Zimmer, R., Riemenschneider, M., Gasser, T., Oertelf, W.H., Klockgether, T., Dodel, R.C., Lack of association of interleukin-10 promoter region polymorphisms with Alzheimer's disease, 136
Dijk, D.-J., see Warman, V.L., 37
Ding, F., see Shen, A., 159
Dodel, R.C., see Depboylu, C., 136
Douglas, S.A., see O'Connell, G.C., 1
Du, Y., see Depboylu, C., 136
Dubois, B., see Cousin, E., 5

Els, T., see Klisch, J., 25

doi:10.1016/S0304-3940(03)00427-0

Elwan, M.A., Ishii, T., Sakuragawa, N., Characterization of the dopamine transporter gene expression and binding sites in cultured human amniotic epithelial cells, 61
Emmerling, M., see Mehta, P.D., 155
Erb, M., see Leube, D.T., 143
Eschalier, A., see Marchand, F., 109

Farkas, T., Racekova, E., Kis, Z., Horváth, S., Burda, J., Galik, J., Toldi, J., Peripheral nerve injury influences the disinhibition induced by focal ischaemia in the rat motor cortex, 49
Fedor, B., see Mehta, P.D., 155
Fiore, P., see de Tommaso, M., 17
Flor, H., see Sartori, G., 53
Forti, S., see Sartori, G., 53
Frebourg, T., see Cousin, E., 5
Freire-Garabal, M., Núñez, M.J., Balboa, J., García-Vallejo, L.A., Argibay, S., Rodrigo, E., Rey-Méndez, M., Administration of the 5-hydroxytryptamine($_{1A}$) receptor antagonist WAY100635 suppresses acute experimental allergic encephalomyelitis in Lewis rats, 33

Génin, E., see Cousin, E., 5
Galanopoulou, A.S., Alm, E.M., Velíšková, J., Estradiol reduces seizure-induced hippocampal injury in ovariectomized female but not in male rats, 201
Galik, J., see Farkas, T., 49
Galindo, E., see Lephart, E.D., 65
García-Vallejo, L.A., see Freire-Garabal, M., 33
Gasser, T., see Depboylu, C., 136
Gastard, M.C., see D'Andrea, M.R., 118
Giannetti, S., see Toesca, A., 93
Granato, A., see Toesca, A., 93
Grassi Zucconi, G., see Laurenzi, M.A., 101
Graziano, M., see Laurenzi, M.A., 101
Grodd, W., see Leube, D.T., 143
Gu, J., see Shen, A., 159
Gu, X., see Shen, A., 159
Guido, M., see de Tommaso, M., 17
Gumula, N.A., see D'Andrea, M.R., 118

Hamassaki-Britto, D.E., see Lima, A.G., 9
Hannequin, D., see Cousin, E., 5
Harting, I., Hartmann, M., Jost, G., Sommer, C., Ahmadi, R., Heiland, S., Sartor, K., Differentiating primary central nervous system lymphoma from glioma in humans using localised proton magnetic resonance spectroscopy, 163
Hartmann, M., see Harting, I., 163
Hasegawa, C., see Sakai, K., 175
Hasegawa, M., see Arai, T., 41
Hashizume, Y., see Arai, T., 41
Hatakenaka, S., see Sakamaki, K., 81
Hayashi, Y., see Sakata, I., 183
Heiland, S., see Harting, I., 163
Hernández, A., see Constandil, L., 139
Hernandez, A., see Marchand, F., 109
Hertzog, B.M., see D'Andrea, M.R., 118
Hong, S.K., see Kim, H.J., 113
Horváth, S., see Farkas, T., 49
Horvath, E., see Klisch, J., 25
Hoshiyama, M., see Tamura, Y., 187
Hossokawa, N.M., see Lima, A.G., 9

Ikeda, K., see Arai, T., 41
Inoue, K., see Sakata, I., 183
Inui, K., see Tamura, Y., 187
Ioannides, A., see Streit, M., 105
Ishii, T., see Elwan, M.A., 61
Isobe, K., see Matsunaga, W., 133

Jo, S.M., see Danscher, G., 85
Joo, K.M., see Chung, Y.H., 151
Jost, G., see Harting, I., 163

Kakigi, R., see Tamura, Y., 187
Kangawa, K., see Sakata, I., 183
Keil, A., see Perlstein, W.M., 191
Kelly, K., see Perlstein, W.M., 191
Kendall Jr., W.F., see Koch, T.R., 69
Kim, H.J., Back, S.K., Kim, J., Sung, B., Hong, S.K., Na, H.S., Increases in spinal vasoactive intestinal polypeptide and neuropeptide Y are not sufficient for the genesis of neuropathic pain in rats, 113
Kim, J., see Kim, H.J., 113
Kim, J., see Shin, D.H., 167
Kim, J.W., see Shin, D.H., 167
Kim, M.J., see Chung, Y.H., 151
Kim, S.J., see Danscher, G., 85
Kim, Y.K., see Danscher, G., 85
Kircher, T.T.J., see Leube, D.T., 143
Kis, Z., see Farkas, T., 49
Klisch, C., see Klisch, J., 25
Klisch, J., Bode-Greuel, K.M., Horvath, E., Klisch, C., Els, T., Additive neuroprotective effect of Ketanserin and Ipsapirone on the hippocampal damage after transient forebrain ischemia in the Mongolian gerbil, 25
Klockgether, T., see Depboylu, C., 136
Kobayashi, S., see Abe, J., 29
Koch, T.R., Telford, G.L., Walgenbach-Telford, S., Kendall Jr., W.F., Opara, E.C., Total antioxidant capacity following extrinsic denervation and small intestinal transplantation in the rat, 69
Kojima, I., see Okuyama-Tamura, M., 206
Konieczny, J., see Ossowska, K., 21
Kudoh, M., see Ono, K., 171
Kurz, A., see Depboylu, C., 136
Kwon, B.S., see Shin, D.H., 167

López, N., see Constandil, L., 139
Larson, M., see Perlstein, W.M., 191
Laurenzi, M.A., Graziano, M., Chianella, S., Secca, T., Grassi Zucconi, G., Fos protein expression following acute administration of diethyldithiocarbamate in rats, 101
Laurido, C., see Constandil, L., 139
Lee, E., see Shin, D.H., 167
Lee, H.W., see Shin, D.H., 167
Lee, K.-S., see Shin, D.H., 167
Lee, W.J., see Shin, D.H., 167
Leimert, M., Blottner, D., Neuronal nitric oxide synthase (bNOS) messenger RNA and protein expression in developing rat brainstem nuclei, 57
Lephart, E.D., Galindo, E., Bu, L.H., Stress (hypothalamic–pituitary–adrenal axis) and pain response in male rats exposed lifelong to high vs. low phytoestrogen diets, 65
Leube, D.T., Yoon, H.W., Rapp, A., Erb, M., Grodd, W., Bartels, M., Kircher, T.T.J., Brain regions sensitive to the face inversion effect: a functional magnetic resonance imaging study in humans, 143

Libro, G., see de Tommaso, M., 17
Lima, A.G., Britto, L.R.G., Hossokawa, N.M., Hamassaki-Britto, D.E., Static, but not optokinetic visual stimuli induce Fos expression in the retina and brain of retinal degeneration mice, 9
Losito, L., see de Tommaso, M., 17

Müller, U., see Depboylu, C., 136
Macé, S., see Cousin, E., 5
Marchand, F., Alloui, A., Chapuy, E., Hernandez, A., Pelissier, T., Ardid, D., Eschalier, A., The antihyperalgesic effect of venlafaxine in diabetic rats does not involve the opioid system, 109
Matsumoto, M., see Ohashi, S., 179
Matsumura, K., see Abe, J., 29
Matsunaga, W., Shirokawa, T., Isobe, K., Specific uptake of Aβ1-40 in rat brain occurs in astrocyte, but not in microglia, 133
Mattarozzi, K., see Cipolli, C., 147
Mazzetti, M., see Cipolli, C., 147
Megna, G., see de Tommaso, M., 17
Megna, M., see de Tommaso, M., 17
Mehta, P.D., Mehta, S.P., Fedor, B., Patrick, B.A., Emmerling, M., Dalton, A.J., Plasma amyloid β protein 1–42 levels are increased in old Down Syndrome but not in young Down Syndrome, 155
Mehta, S.P., see Mehta, P.D., 155
Mercken, L., see Cousin, E., 5
Mikuni, M., see Okuyama-Tamura, M., 206
Mishra, O.P., see Delivoria-Papadopoulos, M., 123
Miyakubo, H., see Sakamaki, K., 81
Mohanakumar, K.P., see Samantaray, S., 77
Mondaca, M., see Constandil, L., 139
Morikawa, O., see Sakai, K., 175
Muñoz, C., see Constandil, L., 139

Núñez, M.J., see Freire-Garabal, M., 33
Na, H.S., see Kim, H.J., 113
Nakazawa, K., see Sekiguchi, H., 73
Natale, V., see Cipolli, C., 147
Nomura, M., see Sakamaki, K., 81
Nonaka, T., see Arai, T., 41

O'Connell, G.C., Douglas, S.A., Bunn, S.J., The involvement of specific phospholipase C isozymes in catecholamine release from digitonin permeabilized bovine adrenal medullary chromaffin cells, 1
Occhionero, M., see Cipolli, C., 147
Oda, T., see Arai, T., 41
Oertelf, W.H., see Depboylu, C., 136
Ohashi, S., Matsumoto, M., Togashi, H., Ueno, K.-i., Yoshioka, M., The serotonergic modulation of synaptic plasticity in the rat hippocampo-medial prefrontal cortex pathway, 179
Okazawa, M., see Abe, J., 29
Okura, M., see Sakai, K., 175
Okuyama-Tamura, M., Mikuni, M., Kojima, I., Modulation of the human glucocorticoid receptor function by antidepressive compounds, 206
Ono, K., Kudoh, M., Shibuki, K., Relational discrimination learning between amplitude-modulated sounds in the rat, 171
Opara, E.C., see Koch, T.R., 69
Ossowska, K., Wardas, J., Pietraszek, M.s., Konieczny, J., Wolfarth, S.s., The striopallidal pathway is involved in antiparkinsonian-like effects of the blockade of group I metabotropic glutamate receptors in rats, 21

Parsons, R.B., Smith, S.W., Waring, R.H., Williams, A.C., Ramsden, D.B., High expression of nicotinamide *N*-methyltransferase in patients with idiopathic Parkinson's disease, 13
Patrick, B.A., see Mehta, P.D., 155
Pelissier, T., see Constandil, L., 139
Pelissier, T., see Marchand, F., 109
Perlstein, W.M., Cole, M.A., Larson, M., Kelly, K., Seignourel, P., Keil, A., Steady-state visual evoked potentials reveal frontally-mediated working memory activity in humans, 191
Pietraszek, M.s., see Ossowska, K., 21
Polkovitch, D.A., see D'Andrea, M.R., 118
Pradier, L., see Cousin, E., 5
Puca, F., see de Tommaso, M., 17

Qin, Z., see Zhong, C., 97

Racekova, E., see Farkas, T., 49
Ramsden, D.B., see Parsons, R.B., 13
Rapp, A., see Leube, D.T., 143
Reiser, P.A., see D'Andrea, M.R., 118
Rey-Méndez, M., see Freire-Garabal, M., 33
Ricard, S., see Cousin, E., 5
Riemenschneider, M., see Depboylu, C., 136
Riley, M.A., Clark, S., Recurrence analysis of human postural sway during the sensory organization test, 45
Rodrigo, E., see Freire-Garabal, M., 33
Roffwarg, H.P., see Shaffery, J.P., 196

Sáez, H., see Constandil, L., 139
Saito, N., see Sakai, K., 175
Sakai, K., Hasegawa, C., Okura, M., Morikawa, O., Ueyama, T., Shirai, Y., Sakai, N., Saito, N., Novel variants of murine serotonin transporter mRNA and the promoter activity of its upstream site, 175
Sakai, N., see Sakai, K., 175
Sakai, T., see Sakata, I., 183
Sakamaki, K., Nomura, M., Hatakenaka, S., Miyakubo, H., Tanaka, J., GABAergic modulation of noradrenaline release in the median preoptic nucleus area in the rat, 81
Sakata, I., Yamazaki, M., Inoue, K., Hayashi, Y., Kangawa, K., Sakai, T., Growth hormone secretagogue receptor expression in the cells of the stomach-projected afferent nerve in the rat nodose ganglion, 183
Sakuragawa, N., see Elwan, M.A., 61
Samantaray, S., Chandra, G., Mohanakumar, K.P., Calcium channel agonist, (±)-Bay K8644, causes a transient increase in striatal monoamine oxidase activity in Balb/c mice, 77
Sartor, K., see Harting, I., 163
Sartori, G., Forti, S., Birbaumer, N., Flor, H., A brief and unobtrusive instrument to detect simulation and exaggeration in patients with whiplash syndrome, 53
Schmidheiser, D., see D'Andrea, M.R., 118
Secca, T., see Laurenzi, M.A., 101
Seignourel, P., see Perlstein, W.M., 191
Sekiguchi, H., Nakazawa, K., Akai, M., Recruitment gain of antagonistic motoneurons is higher during lengthening contraction than during shortening contraction in man, 73
Shaffery, J.P., Roffwarg, H.P., Rapid eye-movement sleep deprivation does not 'rescue' developmentally regulated long-term potentiation in visual cortex of mature rats, 196
Shen, A., Yan, J., Ding, F., Gu, X., Zhu, D., Gu, J., Overexpression of β-1,4-galactosyltransferase I in rat Schwann cells promotes the growth of co-cultured dorsal root ganglia, 159

Shen, X.-Y., see Zhong, C., 97
Shibuki, K., see Ono, K., 171
Shin, D.H., Lee, K.-S., Lee, E., Cho, S.S., Kim, J., Kim, J.W., Kwon, B.S., Lee, H.W., Lee, W.J., The correspondence between the labeling patterns of antibody RT97, neurofilaments, microtubule associated protein 1B and tau varies with cell types and development stages of chicken retina, 167
Shirai, Y., see Sakai, K., 175
Shirokawa, T., see Matsunaga, W., 133
Sidhu, A., see Wersinger, C., 128
Simsek-Kraues, S., see Streit, M., 105
Skene, D.J., see Warman, V.L., 37
Smith, S.W., see Parsons, R.B., 13
Sommer, C., see Harting, I., 163
Sotgiu, M.L., Bellomi, P., Biella, G.E.M., The mGluR5 selective antagonist 6-methyl-2-(phenylethynyl)-pyridine reduces the spinal neuron pain-related activity in mononeuropathic rats, 89
Soto-Moyano, R., see Constandil, L., 139
Streit, M., Dammers, J., Simsek-Kraues, S., Brinkmeyer, J., Wölwer, W., Ioannides, A., Time course of regional brain activations during facial emotion recognition in humans, 105
Sun, Y., see Danscher, G., 85
Sung, B., see Kim, H.J., 113

Tamura, Y., Hoshiyama, M., Inui, K., Kakigi, R., Central mechanisms for two-point discrimination in humans, 187
Tanaka, J., see Sakamaki, K., 81
Telford, G.L., see Koch, T.R., 69
Toesca, A., Giannetti, S., Granato, A., Overexpression of the p75 neurotrophin receptor in the sensori-motor cortex of rats exposed to ethanol during early postnatal life, 93
Togashi, H., see Ohashi, S., 179
Toldi, J., see Farkas, T., 49
Tsuchiya, K., see Arai, T., 41
Ueno, K.-i., see Ohashi, S., 179
Ueyama, T., see Sakai, K., 175

Velíšková, J., see Galanopoulou, A.S., 201

Wölwer, W., see Streit, M., 105
Walgenbach-Telford, S., see Koch, T.R., 69
Wang, Y., see Zhong, C., 97
Wang, Z., see Danscher, G., 85
Wardas, J., see Ossowska, K., 21
Waring, R.H., see Parsons, R.B., 13
Warman, G.R., see Warman, V.L., 37
Warman, V.L., Dijk, D.-J., Warman, G.R., Arendt, J., Skene, D.J., Phase advancing human circadian rhythms with short wavelength light, 37
Wersinger, C., Sidhu, A., Differential cytotoxicity of dopamine and H_2O_2 in a human neuroblastoma divided cell line transfected with α-synuclein and its familial Parkinson's disease-linked mutants, 128
Williams, A.C., see Parsons, R.B., 13
Wolfarth, S.s., see Ossowska, K., 21

Yamazaki, M., see Sakata, I., 183
Yan, J., see Shen, A., 159

Yoon, H.W., see Leube, D.T., 143
Yoshida, M., see Arai, T., 41
Yoshioka, M., see Ohashi, S., 179
Zhong, C., Qin, Z., Zhong, C.-J., Wang, Y., Shen, X.-Y., Neuroprotective effects of bone marrow stromal cells on rat organotypic hippocampal slice culture model of cerebral ischemia, 97
Zhong, C.-J., see Zhong, C., 97
Zhu, D., see Shen, A., 159
Zimmer, R., see Depboylu, C., 136